Flood Lights

FL13 HiFlex 200-1200W the Most Valuable and High Power Floodlight

The most valuable and high-power flood light with full series from 200W to 1200W, ideal to retrofit the 400W to 3000W traditional lamps. The compact modular design gets a quick assembly and flexible installation. Easy to adjust the light angle and create the diversity of lighting environment.

- The compact design gets quick assembly and flexible installation.
- Modular design from 200W to 1200W.
- Ideal to retrofit the 400W to 3000W traditional fixture.
- Multiple optics lens optional 10°/ 15°/30°/45°/60° and asymmetric.
- 10-20kV surge protection.



Series Code Power Efficacy Input Voltage

Power Factor Surge Protection Control

IP Rating IK Rating CCT

CRI Operating Temperature

Beam Angle

Mounting Option Warrantys

FL13

200W, 400W, 600W, 800W, 1200W

125lm/W, 135lm/W, 140lm/W

100-240 VAC, 100-277VAC, 277-480VAC, 50 / 60

Hz

>0.92

6kV line-line, 10kV line-earth, 20KV

1-10V Dimmable, DALI, DMX

IP66

IK08

3000K, 4000K, 5000K, 5700K

70,80

-30°C to + 40°C

F06001, F06002, F06003, F06004, F06005,

F06006, F07001

Bracket Mounting

5 Years

