
Flood Lights

FL13 HiFlex 200-1200W the Most Valuable and High Power Floodlight

The most valuable and high-power flood light with full series from 200W to 1200W, ideal to retrofit the 400W to 3000W traditional lamps. The compact modular design gets a quick assembly and flexible installation. Easy to adjust the light angle and create the diversity of lighting environment.

- The compact design gets quick assembly and flexible installation.
- Modular design from 200W to 1200W.
- Ideal to retrofit the 400W to 3000W traditional fixture.
- Multiple optics lens optional 10°/ 15°/30°/45°/60° and asymmetric.
- 10-20kV surge protection.



Series Code	FL13
Power	200W, 400W, 600W, 800W, 1200W
Efficacy	125lm/W, 135lm/W, 140lm/W
Input Voltage	100-240 VAC, 100-277VAC, 277-480VAC, 50 / 60 Hz
Power Factor	>0.92
Surge Protection	6kV line-line, 10kV line-earth, 20KV
Control	1-10V Dimmable, DALI, DMX
IP Rating	IP66
IK Rating	IK08
CCT	3000K, 4000K, 5000K, 5700K
CRI	70, 80
Operating Temperature	-30°C to + 40°C
Beam Angle	F06001, F06002, F06003, F06004, F06005, F06006, F07001
Mounting Option	Bracket Mounting
Warrantys	5 Years

