

---

## Portable Bar Bending Machine TVL Series

The Rebar Cutting Machine is available in two different lines: the Standard one and the Evolution one. The Rebar Cutting Machine for concrete reinforcing steel rods are the result of years of experience

**?PURE COOPER MOTOR?**-Pure copper motor runs quietly (low noise) and is only on while bending is in progress, preventing unnecessary wear. Besides, a copper motor can extend this rebar bender's operating life to a large extent.

**?STABLE PERFORMANCE?**-This portable rebar bender can offer excellent performance, helping save valuable person-hours by bending rebar up to 5/8" (#5) grade 60 from 0-130 degrees in within 5 seconds.

**?SOLID MACHINE BODY?**-Study and durable machine body and head can stand super-hard rebar with strong clamping force, which can help to reduce the waste of steel rebar.

### ELECTRICAL HYDRUALIC REBAR BENDER

Code	TVL-25	TVH-32
Voltage(v)	220 v	220 v
Gross weight	36 kg	38 kg
Max Bending(mm)	28 mm	32 mm
Machine Dia	560*260*200 mm	560*260*200 mm
Bending angle	0-130 degree	0-130 degree
Certification	CE	CE
Wattage(w)	750 /1500 w	1600 w
Machine weight	14 kg	16 kg
Min rebar(mm)	16mm	6mm
Cutting speed	5 - 8 s	6.0 s
Types of hydraulic oil	46 hydraulic oil	46 hydraulic oil



- Superior quality and performance
- Efficient, clean hydraulic bend
- Industrial strength machine head
- Superior quality hydraulics
- Lightweight, portable
- Increase efficiency and safety on site

